


TRITAN

PRECISION ROLLER CHAIN

YOUR LINK TO QUALITY.

PRECISION ROLLER METRIC DOUBLE STRAND CHAIN



ANSI CHAIN NUMBER	PITCH	ROLLER DIA.	WIDTH BETWEEN INNER PLATES	PIN DIA.	PIN LENGTH		INNER PLATE DEPTH	PLATE THICK- NESS	TRANS- VERSE PITCH	ULTIMATE TENSILE STRENGTH	AVERAGE TENSILE STRENGTH	WEIGHT PER FOOT
	P	d1	b1	d2	L	Lc	h2	t/T	Pt	Q	Qo	q
	mm	mm	mm	mm	mm	mm	mm	mm	mm	kN	kN	kg/m
05B-2R	8.000	5.000	3.000	2.310	13.9	14.5	7.100	0.800	5.640	7.800	10.200	0.330
06B-2R	9.525	6.350	5.720	3.280	23.4	24.4	8.200	1.300	10.240	16.900	18.700	0.770
08B-2R	12.700	8.510	7.750	4.450	31.2	32.2	11.800	1.600	13.920	32.000	38.700	1.340
10B-2R	15.875	10.180	9.650	5.080	36.1	37.5	14.700	1.700	16.590	44.500	56.200	1.840
12B-2R	19.050	12.070	11.680	5.720	42	43.6	16.000	1.850	19.480	57.800	66.100	2.310
16B-2R	25.400	15.880	17.020	8.280	68	69.3	21.000	4.15/3.1	31.880	106.000	133.000	5.420
20B-2R	31.750	19.050	19.560	10.190	77.8	81.5	26.400	4.4/3.5	36.450	170.000	211.200	7.200
24B-2R	38.100	25.400	25.400	14.630	101.7	106.2	33.200	6.0/4.8	48.360	280.000	319.200	13.400
28B-2R	44.450	27.940	30.990	15.900	124.6	129.1	36.700	7.5/6.0	59.560	360.000	406.800	16.600
32B-2R	50.800	29.210	30.990	17.810	124.6	129.6	42.000	7.0/6.0	58.550	450.000	508.500	21.000
40B-2R	63.500	39.370	38.100	22.890	154.5	161.5	52.960	8.5/8.0	72.290	630.000	711.900	32.000
48B-2R	76.200	48.280	45.720	29.240	190.4	198.2	63.800	12.0/10.0	91.210	1000.000	1130.000	50.000
58B-2R	88.900	53.980	53.340	34.320	221.2	229.6	77.800	13.5/12.0	106.600	1600.000	1760.000	71.480
64B-2R	101.600	63.500	60.960	39.400	249.9	258.4	90.170	15.0/13.0	119.890	2000.000	2200.000	91.000
72B-2R	114.300	72.390	68.580	44.480	283.7	292.7	103.6	17.0/15.0	136.270	2500.000	2750.000	120.400